



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok

MRL charge per substance: ok

ARfD charge per substance: ok

MRL charge sum: ok

ARfD charge sum: ok

ADI-multiplication value (orientation): ok

A.I. of critical list with > 25% EU MRL: yes

Black List: ok

\* PRIMo 3.1 calculation used

\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.

Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results [mg/kg] | EU MRL [mg/kg] | valid for                     | MRL Source                | ARfD [mg/kg BW] | ARfD Source        | Intake [mg/kg BW] | MRL [%] | ARfD [%] |
|----------------------------------------|-----------------|----------------|-------------------------------|---------------------------|-----------------|--------------------|-------------------|---------|----------|
| Propamocarb (Sum of propamocarb and... | 0,0910          | 5,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 1,00000         | Dir 07/25          | 0,00380           | 1,82    | 0,38     |
| Azoxystrobin                           | 0,0250          | 1,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 0,00000         | EFSA 2010          | 0,00104           | 2,50    | 0,00     |
| Acetamiprid                            | 0,0150          | 0,050          | Fruiting vegetables (0230000) | Regulation (EU) 2025/1212 | 0,00500         | Reg. (EU) 2018/113 | 0,00063           | 30,00   | 12,60    |
| Pyraclostrobin (F)                     | 0,0100          | 0,500          | Fruiting vegetables (0230000) | Reg. (EU) 2024/342        | 0,03000         | 04/30/EC           | 0,00042           | 2,00    | 1,40     |
| Accumulated values:                    |                 |                |                               |                           |                 |                    |                   | 36,32   | 14,38    |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* BfR calculation (Germany) used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results [mg/kg] | EU MRL [mg/kg] | valid for                     | MRL Source                | ARfD [mg/kg BW] | ARfD Source        | Intake [mg/kg BW] | MRL [%] | ARfD [%] |
|----------------------------------------|-----------------|----------------|-------------------------------|---------------------------|-----------------|--------------------|-------------------|---------|----------|
| Propamocarb (Sum of propamocarb and... | 0,0910          | 5,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 1,00000         | Dir 07/25          | 0,00380           | 1,82    | 0,38     |
| Azoxystrobin                           | 0,0250          | 1,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 0,00000         | EFSA 2010          | 0,00104           | 2,50    | 0,00     |
| Acetamiprid                            | 0,0150          | 0,050          | Fruiting vegetables (0230000) | Regulation (EU) 2025/1212 | 0,00500         | Reg. (EU) 2018/113 | 0,00063           | 30,00   | 12,60    |
| Pyraclostrobin (F)                     | 0,0100          | 0,500          | Fruiting vegetables (0230000) | Reg. (EU) 2024/342        | 0,03000         | 04/30/EC           | 0,00042           | 2,00    | 1,40     |
| Accumulated values:                    |                 |                |                               |                           |                 |                    |                   | 36,32   | 14,38    |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* BfR calculation (Germany) used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results [mg/kg] | EU MRL [mg/kg] | valid for                     | MRL Source                | ARfD [mg/kg BW] | ARfD Source        | Intake [mg/kg BW] | MRL [%] | ARfD [%] |
|----------------------------------------|-----------------|----------------|-------------------------------|---------------------------|-----------------|--------------------|-------------------|---------|----------|
| Propamocarb (Sum of propamocarb and... | 0,0910          | 5,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 1,00000         | Dir 07/25          | 0,00380           | 1,82    | 0,38     |
| Azoxystrobin                           | 0,0250          | 1,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 0,00000         | EFSA 2010          | 0,00104           | 2,50    | 0,00     |
| Acetamiprid                            | 0,0150          | 0,050          | Fruiting vegetables (0230000) | Regulation (EU) 2025/1212 | 0,00500         | Reg. (EU) 2018/113 | 0,00063           | 30,00   | 12,60    |
| Pyraclostrobin (F)                     | 0,0100          | 0,500          | Fruiting vegetables (0230000) | Reg. (EU) 2024/342        | 0,03000         | 04/30/EC           | 0,00042           | 2,00    | 1,40     |
| Accumulated values:                    |                 |                |                               |                           |                 |                    |                   | 36,32   | 14,38    |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* BfR calculation (Germany) used  
  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results [mg/kg] | EU MRL [mg/kg] | valid for                     | MRL Source                | ARfD [mg/kg BW] | ARfD Source        | Intake [mg/kg BW] | MRL [%] | ARfD [%] |
|----------------------------------------|-----------------|----------------|-------------------------------|---------------------------|-----------------|--------------------|-------------------|---------|----------|
| Propamocarb (Sum of propamocarb and... | 0,0910          | 5,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 1,00000         | Dir 07/25          | 0,00380           | 1,82    | 0,38     |
| Azoxystrobin                           | 0,0250          | 1,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 0,00000         | EFSA 2010          | 0,00104           | 2,50    | 0,00     |
| Acetamiprid                            | 0,0150          | 0,050          | Fruiting vegetables (0230000) | Regulation (EU) 2025/1212 | 0,00500         | Reg. (EU) 2018/113 | 0,00063           | 30,00   | 12,60    |
| Pyraclostrobin (F)                     | 0,0100          | 0,500          | Fruiting vegetables (0230000) | Reg. (EU) 2024/342        | 0,03000         | 04/30/EC           | 0,00042           | 2,00    | 1,40     |
| Accumulated values:                    |                 |                |                               |                           |                 |                    |                   | 36,32   | 14,38    |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* BfR calculation (Germany) used  
  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: not applicable

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Attachment to Lab Report  
No. EA-25-09961  
of 2025-11-08

Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: not applicable

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Attachment to Lab Report  
No. EA-25-09961  
of 2025-11-08

Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,02500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: not applicable

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results [mg/kg] | EU MRL [mg/kg] | valid for                     | MRL Source                | ARfD [mg/kg BW] | ARfD Source        | Intake [mg/kg BW] | MRL [%] | ARfD [%] |
|----------------------------------------|-----------------|----------------|-------------------------------|---------------------------|-----------------|--------------------|-------------------|---------|----------|
| Propamocarb (Sum of propamocarb and... | 0,0910          | 5,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 1,00000         | Dir 07/25          | 0,00380           | 1,82    | 0,38     |
| Azoxystrobin                           | 0,0250          | 1,000          | Fruiting vegetables (0230000) | Reg (EU) 2025/1305        | 0,00000         | EFSA 2010          | 0,00104           | 2,50    | 0,00     |
| Acetamiprid                            | 0,0150          | 0,050          | Fruiting vegetables (0230000) | Regulation (EU) 2025/1212 | 0,00500         | Reg. (EU) 2018/113 | 0,00063           | 30,00   | 12,60    |
| Pyraclostrobin (F)                     | 0,0100          | 0,500          | Fruiting vegetables (0230000) | Reg. (EU) 2024/342        | 0,03000         | 04/30/EC           | 0,00042           | 2,00    | 1,40     |
| Accumulated values:                    |                 |                |                               |                           |                 |                    |                   | 36,32   | 14,38    |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* BfR calculation (Germany) used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 5

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: not applicable

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg



Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) (0232030)

Group: Fruiting vegetables (0230000)  
Assumed Consumption (LP): 96.30 g  
Variability Factor: 7  
Maximum number of detectable substances: 4

| Active Substance                       | Results<br>[mg/kg] | EU MRL<br>[mg/kg] | valid for               | MRL Source                | ARfD<br>[mg/kg BW] | ARfD Source        | IESTI<br>[mg/kg BW] | Intake<br>[mg/kg BW] | MRL<br>[%] | ARfD<br>[%] | ADI<br>[%] |
|----------------------------------------|--------------------|-------------------|-------------------------|---------------------------|--------------------|--------------------|---------------------|----------------------|------------|-------------|------------|
| Propamocarb (Sum of propamocarb and... | 0,0910             | 5,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 1,00000            | Dir 07/25          | 0,00423             | 0,00380              | 1,82       | 0,42        | 2,32       |
| Azoxystrobin                           | 0,0250             | 1,000             | Fruiting vegetables ... | Reg (EU) 2025/1305        | 0,00000            | EFSA 2010          | 0,00116             | 0,00104              | 2,50       | 0,00        | 0,93       |
| Acetamiprid                            | 0,0150             | 0,050             | Fruiting vegetables ... | Regulation (EU) 2025/1212 | 0,00500            | Reg. (EU) 2018/113 | 0,00070             | 0,00063              | 30,00      | 14,00       | 22,22      |
| Pyraclostrobin (F)                     | 0,0100             | 0,500             | Fruiting vegetables ... | Reg. (EU) 2024/342        | 0,03000            | 04/30/EC           | 0,00046             | 0,00042              | 2,00       | 1,53        | 2,47       |
| Accumulated values:                    |                    |                   |                         |                           |                    |                    |                     |                      | 36,32      | 15,95       |            |

Number of detectable substances: ok  
MRL charge per substance: ok  
ARfD charge per substance: ok  
MRL charge sum: ok  
ARfD charge sum: ok  
Black List: ok

\* PRIMo 3.1 calculation used  
\*\* Technical limit of detection is 0.01mg/kg; values <0.01mg/kg are not counted as detected substance and therefore not evaluated/calculated.  
Exception is Fipronil with a LOD of 0,005 mg/kg